



# Minotaur

HANDHELD LITHIUM SOLAR GENERATOR



**1395Wh**

Storage Capacity

**1200W**

Pure Sine Wave Output

**2400W**

Surge Output

**500W**

Solar Input

An ideal power-partner for outdoor, remote and off-grid scenarios such as camping, travelling or blackouts.



Lithium-ion



Lightweight



Silent



Expandable

Take and generate power with you anywhere.



## Power Your Appliances Outdoors

On top of charging your smaller devices, the Minotaur will keep your bigger appliances running—including your camping fridge, microwave-oven, CCTV system, electric tool batteries and more.



## Portable, Silent & Safe

The Minotaur is a compact, lightweight and noise-free battery that can be easily carried by hand. Free from emissions, with a reliable lithium battery system, and advanced circuit design, the Minotaur is safe for even indoor use.

## Charge Anywhere

Gain full energy independence and charge the Minotaur literally anywhere using the corresponding solar panel. You can also charge via adaptor (plug-in to the wall), car charger or external generator.

## Battery Storage & Output

The Minotaur has a 1395Wh storage capacity, with 1200 watts output to power appliances via AC, DC, 12V & USB-A 5V.

## All-In-One Unit

A compact product that covers all your needs with an in-built Inverter, UPS, PV charger, and Li-Ion battery pack.

## User-friendly & Long-Lasting

The Minotaur is tough—built for the rugged outdoors—but also easy to operate with a simple interface. Charge and go with zero setup.

## 1 Year Warranty Included

## What's in the box?



Minotaur



AC Adapter



Car Charging Cable

Solar Charging Cable (DC)



Carrying Strap



User Manual

## Minotaur Technical Specifications

Battery	Rated Capacity	1395Wh
	Rated Voltage	14.8V
	Battery Cell Type	Lithium-ion
AC Output	Rated Output Power	1200W Pure Sine Wave
	Peak Surge Output	2400W
	Output Voltage	220V-240Vac
	Output Frequency	50Hz/60Hz (adjustable)
	Overload Ability	100%
DC Output	DC Output	12.2V, 9A
	USB Output	(2x) 5V, 3A + (2x) QC - BC1.2
	Type-C Output (PD45W)	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (QC - PD2.0)
Solar PV Input	Max Input Power	500W
	MPPT Input Voltage	16-60Vdc
	MPPT Efficiency	99.50%
	Charge Time	3 Hours (500W)
Charge Time	AC Wall Charge	9 Hours (42V / 160W)
General	Working Environment Condition	Temperature: 0-45°C (Charge), 0-60°C (Discharge)
	Product Size	371.5mm (L) x 165.5mm (W) x 365mm (H)
	Net Weight	15kg
	Protection	IP Rating



## Made in Melbourne

Proudly Support local Australian industry when you purchase SR Portable products.

## Get Local Support

Have peace of mind knowing you can talk to a local supplier for all product inquiries and warranty support. Talk to us for more details.



# Minotaur Booster

EXTENDABLE BATTERY MODULE



Adds an extra  
**1395Wh**  
to your Minotaur

\*Requires base Minotaur Solar Generator unit

Instantly double the storage capacity of your Minotaur Solar Generator with this durable battery booster.



Lithium-ion



Lightweight



Silent



Modular

Take and generate power with you anywhere.

